


Chemical Engineering Journal 78 (2000) 243

Chemical Engineering Journal

www.elsevier.com/locate/cej

Author Index of Volume 78

Abashar, M.E.E. 69	Jiang, W. 153	Navaza, J.M. 13	Wang, H. 107
Alvarez, E. 13	Jiang, Y.L. 187		Wang, J.D. 225
Anter, A.M. 125	Jin, H. 147	Ozoe, H. 5	Wang, TJ. 115
Argyropoulos, P. 29	Jin, Y. 115	0000, 111 0	Wang, W.C. 187
Cancela, M.A. 13 Cao, F. 237 Cao, K. 211 Chen, C. 153 Chen, GJ. 173 Chen, H.L. 159 Chen, H.S. 187	Kawase, Y. 21 Krishna, R. 43 Kusu, S. 5 Kuwagi, K. 5 Le Lann, MV. 53 Li, BF. 211	Pan, ZR. 211 Pingaud, H. 53 Preuß, K. 53 Proth, J. 53 Riverol, C. 13 Rose, J.W. 87	Wang, Y. 165 Wang, Y.D. 131 Wang, Z. 115 Wen, J. 231 Wu, L.G. 159 Wu, T. 193
Chen, Y. 231	Li, BG. 211	Scott, K. 29	Xin, M.D. 95
Cheng, Z.M. 125	Li, C. 231	Shi, J. 165	Xu, D. 87
Cui, X. 205	Li, H.B. 225	Shi, M.H. 107	
Cui, Z. 115	Li, M. 179	Shimizu, K. 21	Yao, S. 199
Cvengroš, J. 61	Li, W. 179 Li, X. 217	Similes, 11. 21	Yu, G. 141
Ellenberger, J. 43 Fan, SS. 173	Liao, Q. 95 Lin, A. 153 Lin, J. 87	Taama, W.M. 29 Takada, S. 21 Tan, J. 159	Yu, J. 141, 211 Yu, L. 153 Yu, Z. 141, 193 Yuan, W.K. 125
Fang, D. 237	Liu, J. 147	Tsutsumi, A. 115	10th, W.K. 123
Fei, W.Y. 131, 225	Liu, Y. 205 Lu, X. 165	Urseanu, M.I. 43	Zhang, L. 153, 217
Guo, TM. 173	Luo, G.S. 225 Lutišan, J. 61	van Baten, J.M. 43	Zhang, Y. 165 Zhao, T. 193
Han, P. 165		Vázquez, G. 13	Zhou, W.X. 193
Hao, D. 147	Ma, QL. 173		Zhu, C.L. 159
Hao, Y.L. 107	Ma, X. 87	Wan, Y.K. 131	Zhu, J.Q. 187
Hu, Y. 147	Micov, M. 61	Wang, B. 87	Zhu, Y. 231
Huang, L. 231	Minekawa, K. 21	Wang, F.A. 187	Zhu, ZQ. 179





Chemical Engineering Journal 78 (2000) 245-248

www.elsevier.com/locate/cej

Subject Index of Volume 78

Ammonia reactors

Application of heat interchange systems to enhance the performance of ammonia reactors, 69

Atomization process

Application of fractal geometry to atomization process, 193

Axial dispersion coefficient

Liquid phase dispersion in bubble columns operating in the churnturbulent flow regime, 43

Basic data

A new model of thermal conductivity for liquids, 187

Binodal

Measurement and calculation of liquid-liquid equilibria of binary aqueous polymer solutions, 179

Bipolar membrane

Application of electrodialysis to the production of Vitamin C, 153 Boiling heat transfer

A study on boiling heat transfer in three-phase circulating fluidized bed,

217 Bubble break-up

> Phenomenological model for bubble column reactors: prediction of gas hold-ups and volumetric mass transfer coefficients, 21

Bubble coalescence

Phenomenological model for bubble column reactors: prediction of gas hold-ups and volumetric mass transfer coefficients, 21

Bubble column

Transient three-dimensional numerical analyses of shallow bubble column, 5

Bubble column reactor

Phenomenological model for bubble column reactors: prediction of gas hold-ups and volumetric mass transfer coefficients, 21

Bubble columns

Liquid phase dispersion in bubble columns operating in the churn-turbulent flow regime, 43

Bubble rise velocity

Liquid phase dispersion in bubble columns operating in the churnturbulent flow regime, 43

Carbon monoxide

New methods to prepare ultrafine particles of some perovskite-type

Catalyst

Intrinsic kinetics of direct oxidative carbonylation of vapour phase methanol to dimethyl carbonate over Cu-based catalysts, 237

Catalytic oxidation

New methods to prepare ultrafine particles of some perovskite-type oxides, 205

Cellulose sulphation

An improved process for the preparation of sodium cellulose sulphate,

Centrifugal fluidized bed

Experimental investigation of the heat and mass transfer in a centrifugal fluidized bed dryer, 107

Ceria

Reactive behaviors of iron-based shift catalyst promoted by ceria, 147 Chinese research

Advances in dropwise condensation heat transfer: Chinese research, 87

Churn-turbulent flow regime

Liquid phase dispersion in bubble columns operating in the churnturbulent flow regime, 43

Circulating fluidized bed

A study on boiling heat transfer in three-phase circulating fluidized bed,

Cloud-point

Measurement and calculation of liquid-liquid equilibria of binary aqueous polymer solutions, 179

Coalescence-dispersion

Mass transfer performance in a coalescence-dispersion pulsed sieve plate extraction column, 225

Column diameter influence

Liquid phase dispersion in bubble columns operating in the churnturbulent flow regime, 43

Computational fluid dynamics

Physical modelling and numerical simulation of velocity fields in rotating disc contactor via CFD simulation and LDV measurement, 131

Control strategy

Modelling and predictive control of fed-batch yeast growth on industrial pilot plant scale, 53

Convective heat transfer

Augmentation of convective heat transfer inside tubes with threedimensional internal extended surfaces and twisted-tape inserts, 95

CO2-rich gas mixtures

Experimental and modeling studies on the hydrate formation of CO₂ and CO₂-rich gas mixtures, 173

β-Cyclodextrin

PVA membrane filled β -cyclodextrin for separation of isomeric xylenes by pervaporation, 159

Danckwerts method

Application of the Danckwerts method in a bubble column. Effects of surfactants on mass transfer coefficient and interfacial area, 13

Data

Experimental and modeling studies on the hydrate formation of CO₂ and CO₂-rich gas mixtures, 173

Desalination

Application of electrodialysis to the production of Vitamin C, 153 Diffusion coefficient

PVA membrane filled β -cyclodextrin for separation of isomeric xylenes by pervaporation, 159

Diffusivity

The measurement of effective diffusivity for sulfur-tolerant methanation catalyst, 141

Dimethyl carbonate

Intrinsic kinetics of direct oxidative carbonylation of vapour phase methanol to dimethyl carbonate over Cu-based catalysts, 237

Direct methanol fuel cell

Modelling pressure distribution and anode/cathode streams vapourliquid equilibrium composition in liquid feed direct methanol fuel cells, 29

Dispersed flow model

Transient three-dimensional numerical analyses of shallow bubble column, 5

Dispersion polymerization

Micron-size uniform poly(methyl methacrylate) particles by dispersion polymerization in polar media. 1. Particle size and particle size distribution, 211

Droplet size distribution

Application of fractal geometry to atomization process, 193

Dropwise condensation

Advances in dropwise condensation heat transfer: Chinese research, 87 Drying

Experimental investigation of the heat and mass transfer in a centrifugal fluidized bed dryer, 107

Dynamic liquid holdup

Correlations for dynamic liquid holdup under pulsing flow in a tricklebed reactor, 125

Dynamic tracer method

Mass transfer performance in a coalescence-dispersion pulsed sieve plate extraction column, 225

Electrodialysis

Application of electrodialysis to the production of Vitamin C, 153

Energy optimization

Application of heat interchange systems to enhance the performance of ammonia reactors, 69

Ethanol concentration

Modelling and predictive control of fed-batch yeast growth on industrial pilot plant scale, 53

Ethylene glycol

Experimental and modeling studies on the hydrate formation of CO₂ and CO₂-rich gas mixtures, 173

Ethylene oxide and propylene oxide

Measurement and calculation of liquid-liquid equilibria of binary aqueous polymer solutions, 179

Evaporator efficiency

Feed temperature influence on the efficiency of a molecular evaporator,

Extraction

Physical modelling and numerical simulation of velocity fields in rotating disc contactor via CFD simulation and LDV measurement, 131

Fed-batch yeast growth

Modelling and predictive control of fed-batch yeast growth on industrial pilot plant scale, 53

Feed temperature

Feed temperature influence on the efficiency of a molecular evaporator, 61

Fluidization

Energy transfer mechanism in a vibrating fluidized bed, 115 Fractal geometry

Application of fractal geometry to atomization process, 193

Free surface

Transient three-dimensional numerical analyses of shallow bubble column. 5

Frictional characteristics

Augmentation of convective heat transfer inside tubes with threedimensional internal extended surfaces and twisted-tape inserts, 95

Gas hold-up

Phenomenological model for bubble column reactors: prediction of gas hold-ups and volumetric mass transfer coefficients, 21 Gas-liquid two-phase flow

Transient three-dimensional numerical analyses of shallow bubble column, 5

Gas-liquid-solid three-phase flow

Solid-liquid mass transfer in a gas-liquid-solid three-phase reversed flow jet loop reactor, 231

Heat and mass transfer

Experimental investigation of the heat and mass transfer in a centrifugal fluidized bed dryer, 107

Heat transfer

Advances in dropwise condensation heat transfer: Chinese research, 87

Heterogeneous model

Application of heat interchange systems to enhance the performance of ammonia reactors, 69

Hydrate formation

Experimental and modeling studies on the hydrate formation of CO₂ and CO₂-rich gas mixtures, 173

Immobilization

An improved process for the preparation of sodium cellulose sulphate,

Interfacial area

Application of the Danckwerts method in a bubble column. Effects of surfactants on mass transfer coefficient and interfacial area, 13

KD306 catalyst

The measurement of effective diffusivity for sulfur-tolerant methanation catalyst, 141

2-keto-L-gulonic acid

Application of electrodialysis to the production of Vitamin C, 153

Kinetics

Intrinsic kinetics of direct oxidative carbonylation of vapour phase methanol to dimethyl carbonate over Cu-based catalysts, 237

Laminar flow

Augmentation of convective heat transfer inside tubes with threedimensional internal extended surfaces and twisted-tape inserts, 95 L-ascorbic acid (Vitamin C)

Application of electrodialysis to the production of Vitamin C, 153 Liquid-liquid equilibria

Measurement and calculation of liquid-liquid equilibria of binary aqueous polymer solutions, 179

Liquid-liquid equilibrium

Salting-out separation and liquid-liquid equilibrium of tertiary butanol aqueous solution, 165

Mass transfer

Physical modelling and numerical simulation of velocity fields in rotating disc contactor via CFD simulation and LDV measurement, 131

Mass transfer performance in a coalescence-dispersion pulsed sieve plate extraction column, 225

Mass transfer coefficient

Application of the Danckwerts method in a bubble column. Effects of surfactants on mass transfer coefficient and interfacial area, 13

Mechanism

Energy transfer mechanism in a vibrating fluidized bed, 115 fethanol

Intrinsic kinetics of direct oxidative carbonylation of vapour phase methanol to dimethyl carbonate over Cu-based catalysts, 237

Model

Experimental and modeling studies on the hydrate formation of CO₂ and CO₂-rich gas mixtures, 173

Measurement and calculation of liquid-liquid equilibria of binary aqueous polymer solutions, 179

Modeling

A new model of thermal conductivity for liquids, 187

Modelling

Modelling pressure distribution and anode/cathode streams vapourliquid equilibrium composition in liquid feed direct methanol fuel cells, 29

Molecular distillation

Feed temperature influence on the efficiency of a molecular evaporator, 61

Molecular evaporator

Feed temperature influence on the efficiency of a molecular evaporator, 61

Monodisperse polymer particles

Micron-size uniform poly(methyl methacrylate) particles by dispersion polymerization in polar media. 1. Particle size and particle size distribution, 211

Numerical analysis

Transient three-dimensional numerical analyses of shallow bubble

Oxidative carbonylation

Intrinsic kinetics of direct oxidative carbonylation of vapour phase methanol to dimethyl carbonate over Cu-based catalysts, 237

Particle size and its distribution

Micron-size uniform poly(methyl methacrylate) particles by dispersion polymerization in polar media. 1. Particle size and particle size distribution, 211

Perovskite

New methods to prepare ultrafine particles of some perovskite-type oxides, 205

Pervaporation

PVA membrane filled β-cyclodextrin for separation of isomeric xylenes by pervaporation, 159

Poly(methyl methacrylate)

Micron-size uniform poly(methyl methacrylate) particles by dispersion polymerization in polar media. 1. Particle size and particle size distribution, 211

Poly-dimethyl-diallyl-ammonium-chloride

An improved process for the preparation of sodium cellulose sulphate, 199

Polymer solution

Measurement and calculation of liquid-liquid equilibria of binary aqueous polymer solutions, 179

Polyvinyl alcohol

PVA membrane filled β-cyclodextrin for separation of isomeric xylenes by pervaporation, 159

Potassium fluoride

Salting-out separation and liquid-liquid equilibrium of tertiary butanol aqueous solution, 165

Predictive control

Modelling and predictive control of fed-batch yeast growth on industrial pilot plant scale, 53

Pressure distribution

Modelling pressure distribution and anode/cathode streams vapourliquid equilibrium composition in liquid feed direct methanol fuel cells, 29

Pressure drop

Modelling pressure distribution and anode/cathode streams vapourliquid equilibrium composition in liquid feed direct methanol fuel cells, 29

Pressure wave

Energy transfer mechanism in a vibrating fluidized bed, 115

Pulsed sieve extraction column

Mass transfer performance in a coalescence-dispersion pulsed sieve plate extraction column, 225

Pulsing flow

Correlations for dynamic liquid holdup under pulsing flow in a tricklebed reactor, 125

Radial velocity profiles

Liquid phase dispersion in bubble columns operating in the churnturbulent flow regime, 43

Reversed jet loop reactors

Solid-liquid mass transfer in a gas-liquid-solid three-phase reversed flow jet loop reactor, 231

Rotating disc contactor

Physical modelling and numerical simulation of velocity fields in rotating disc contactor via CFD simulation and LDV measurement, 131

Salting out

Salting-out separation and liquid-liquid equilibrium of tertiary butanol aqueous solution, 165

Separation

Salting-out separation and liquid-liquid equilibrium of tertiary butanol aqueous solution, 165

Single pellet string reactor

The measurement of effective diffusivity for sulfur-tolerant methanation catalyst, 141

Sodium cellulose sulphate

An improved process for the preparation of sodium cellulose sulphate, 199

Solid-liquid mass transfer

Solid-liquid mass transfer in a gas-liquid-solid three-phase reversed flow jet loop reactor, 231

Solubility

PVA membrane filled β -cyclodextrin for separation of isomeric xylenes by pervaporation, 159

Spinodal

Measurement and calculation of liquid-liquid equilibria of binary aqueous polymer solutions, 179

Stacks

Modelling pressure distribution and anode/cathode streams vapourliquid equilibrium composition in liquid feed direct methanol fuel cells, 29

Supercritical drying

New methods to prepare ultrafine particles of some perovskite-type oxides, 205

Surfactants

Application of the Danckwerts method in a bubble column. Effects of surfactants on mass transfer coefficient and interfacial area, 13

Synthesis

New methods to prepare ultrafine particles of some perovskite-type oxides, 205

Temperature-programmed desorption

Reactive behaviors of iron-based shift catalyst promoted by ceria, 147

Temperature-programmed reaction

Reactive behaviors of iron-based shift catalyst promoted by ceria, 147

Tertiary butanol

Salting-out separation and liquid-liquid equilibrium of tertiary butanol aqueous solution, 165

Thermodynamics

A new model of thermal conductivity for liquids, 187

Three-dimensional analysis

Transient three-dimensional numerical analyses of shallow bubble column, 5

Three-phase flow

A study on boiling heat transfer in three-phase circulating fluidized bed, 217

Trickle-bed reactors

Correlations for dynamic liquid holdup under pulsing flow in a tricklebed reactor, 125

Ultrafine particles

New methods to prepare ultrafine particles of some perovskite-type oxides, 205

Vibrating fluidized bed

Energy transfer mechanism in a vibrating fluidized bed, 115

Volumetric mass transfer coefficient

Phenomenological model for bubble column reactors: prediction of gas hold-ups and volumetric mass transfer coefficients, 21

Water-gas shift reaction

Reactive behaviors of iron-based shift catalyst promoted by ceria, 147

Wave propagation

Energy transfer mechanism in a vibrating fluidized bed, 115

